

## Pression PE

### Polyéthylène pression

Ø ext. (mm)	PE-100 EN 12201 PRESSION (BAR)							PE-80 EN 12201 PRESSION (BAR)				PE-40 EN 12201 PRESSION (BAR)			
	4	6	10	12,5	16	20	25	6	10	16	20	4	6	10	
20					2,0 219319	2,3 219320	3,0 219321			2,3 233013	3,0 233021		2,00 208001	3,0 208002	
25					2,3 219322	3,0 219308	3,5 219323		2,0 233006	3,0 233014	3,5 233022		2,3 208004	3,5 208005	
32			2,0 219324		3,0 219325	3,6 219309	4,4 219326		2,4 233007	3,6 233015	4,4 233023		2,0 32/4PE40	3,0 208007	4,4 208008
40			2,4 219327		3,7 219328	4,5 219310	5,5 219329		2,0 233001	3,0 233008	4,5 233016		4,5 40/4PE40	3,7 208027	5,5 208028
50		2,0 219330	3,0 219331		4,6 219332	5,6 219311	6,9 219333		2,4 233002	3,7 233009	5,6 233017		3,0 50/4PE40	4,6 208030	6,9 208031
63		2,5 219334	3,8 219335		5,8 219312	7,1 219312	8,6 219336		3,0 233066	4,7 233033	7,1 233036		3,8 63/4PE40	5,8 208048	8,6 208051
75		2,9 219337	4,5 219338		6,8 219339	8,4 219313	10,3 219340		3,6 233031	5,6 233034	8,4 233037		4,5 75/4PE40	6,8 208049	10,3 208052
90		3,5 219341	5,4 219035		8,2 219118	10,1 219314	12,3 219342		4,3 233032	6,7 233035	10,1 233038		5,4 90/4PE40	8,2 208050	12,3 208053
110		4,2 219343	6,6 219003		8,1 110/12,5AD100	10,0 219065	12,3 219316	15,1 219317		5,3 233069	8,1 233064	12,3 233065			
125		4,8 219344	7,4 219068		9,2 125/12,5AD100	11,4 219069	14,0 219343	17,1 219346		6,0 233071	9,2 233046	14,0 233058			
140		5,4 140/6AD100	8,3 140/10AD100		10,3 140/12,5AD100	12,7 140/16AD100	15,7 140/20AD100	19,2 140/25AD100			10,3 140/10PE80	15,7 140/16PE80			
160		6,2 160/6AD100	9,5 160/10AD100		11,8 160/12,5AD100	14,6 160/16AD100	17,9 160/20AD100	21,9 160/25AD100		7,7 160/6PE80	11,8 160/10PE80	17,9 160/16PE80			
180		6,9 180/6AD100	10,7 180/10AD100		13,3 180/12,5AD100	16,4 180/16AD100	20,1 180/20AD100	24,6 180/25AD100		8,6 180/6PE80	13,3 180/10PE80	20,1 180/16PE80			
200		7,7 200/6AD100	11,9 200/10AD100		14,7 200/12,5AD100	18,2 200/16AD100	22,4 200/20AD100	27,4 200/25AD100		9,6 200/6PE80	14,7 200/10PE80	22,4 200/16PE80			
225		8,6 225/6AD100	13,4 225/10AD100		16,6 225/12,5AD100	20,5 225/16AD100	25,2 225/20AD100	30,8 225/25AD100		10,8 225/6PE80	16,6 225/10PE80	25,2 225/16PE80			
250		9,6 250/6AD100	14,8 250/10AD100		18,4 250/12,5AD100	22,7 250/16AD100	27,9 250/20AD100	34,2 250/25AD100		11,9 250/6PE80	18,4 250/10PE80	27,9 250/16PE80			
280		10,7 280/6AD100	16,6 280/10AD100		20,6 280/12,5AD100	25,4 280/16AD100	31,3 280/20AD100	38,3 280/25AD100		13,4 280/6PE80	20,6 280/10PE80	31,3 280/16PE80			
315		7,7 315/4AD100	12,1 315/6AD100	18,7 315/10AD100	23,2 315/12,5AD100	28,6 315/16AD100	35,2 315/20AD100	43,1 315/25AD100		15,0 315/6PE80	23,2 315/10PE80	35,2 315/16PE80			
355		13,6 355/6AD100	21,1 355/10AD100		26,1 355/12,5AD100	32,2 355/16AD100	39,7 355/20AD100		16,9 355/6PE80	26,1 355/10PE80					
400		9,8 400/4AD100	15,3 400/6AD100	23,7 400/10AD100	29,4 400/12,5AD100	36,3 400/16AD100	44,7 400/20AD100		19,1 400/6PE80	29,4 400/10PE80					
450			17,2 450/6AD100	26,9 450/10AD100		40,9 450/16AD100									
500		12,3 500/4AD100	19,1 500/6AD100	29,7 500/10AD100		45,4 500/16AD100									
560			21,4 560/6AD100	33,2 560/10AD100		50,8 560/16AD100									
630		15,4 630/4AD100	24,1 360/6AD100	37,4 630/10AD100		57,2 630/16AD100									
710			27,2 710/6AD100	42,1 710/10AD100											
800			30,6 800/6AD100	47,4 800/10AD100											
900			34,4 900/6AD100	53,3 900/10AD100											
1000			38,2 1000/6AD100	59,3 1000/10AD100											

